	r .		UTAH	OIL AND GAS CO	NSERVATION C	OMMISSIO	N		
REMARKS: V	WELL LOG	ELECTRIC LOGS	X	WATER SAND	S LOCAT	ION INSPECTE	D OIL	SUB. REPORT/abd.	
* 1	ocatio	n Abando	oned- Wa	U never	drille		3-10		· · · · · · · · · · · · · · · · · · ·
<del></del>							<u> </u>		
	8-13-82	,					<del></del>		
		<del></del>							
LAND: FEE & PA		STATE LEASE NO.			PUBLIC LEASE NO.	<u>U-1653</u>	88	INDIAN	
DRILLING APPRO	OVED: 8	-25-82							
SPUDDED IN:									
COMPLETED:		PUT	TO PRODUCING:						
INITIAL PRODUC	CTION:								
GRAVITY A.P.I.						·			
GOR:									
PRODUCING ZO	NES:								
TOTAL DEPTH:									
WELL ELEVATION	N:					<u> </u>			
DATE ABANDON	ED: LA	3-10-8	73		i	<del></del>			
FIELD:	HDCAT	3/86 E	ight mil	e Flat	Noth				
UNIT:			0	2	1.00				
COUNTY: U	INTAH								
		COBS 43-1					ADTA	10 42 047 21052	-
LOCATION	1937	FT. FROM (X)	(S) LINE,	876	FT. FROM (E) WW	LINE.	APIN	10. 43-047-31259	
				0/0	XX		NESE	1 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3	
TWP.	RGE.	SEC. OPERATO	₹		TWP.	RGE.	SEC.	OPERATOR	
							020.	0.2000	
					.9\$	176	1	R.L. JACOBS OIL & GAS	<b>`</b> .

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

August 4, 1982

R. L. Jacobs Oil and Gas 2467 Commerce Blvd. Grand Junction, Colorado 81501

### Gentlemen:

Our records indicate you have filed federal application for permit to drill Well No. NGC#43-1, but have not yet filed application with the State of Utah. Applications must be approved by the State in addition to federal approval in order to commence drilling.

Please provide the necessary application for permit to drill, or otherwise advise on the status of the permit. A copy of the federal application with attachments and cover letter is acceptable.

Respectfully,

Norm Stout

NS/as

## UNITED STATES (Other in rever




Form approved. Budget Bureau No. 42-R1425.


		T OF THE I		IOP	reverse sig	e) .				
DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY								5. LEASE DESIGNATION AND SERIAL NO.		
	GEOLO	OGICAL SURV	EY				U-165			
APPLICATION	Y FOR PERMIT	TO DRILL, I	DEEPE	N, OR P	LUG BA	<b>ACK</b>	6. IF INDIA	N, ALLOTI	TEE OR TRIBE NAME	
1a. TYPE OF WORK										
	LL 🗓	DEEPEN		PLU	JG BAC	K 🗌	7. UNIT AG		200	
b. TYPE OF WELL OIL TVI G.	AS C		CTN	GLE [	MULTIPL	. —		•	Flat Unit	
WELL A W	ELL OTHER		ZON		ZONE	<u> </u>	8. FARM OF	LEASE N	IAME	
2. NAME OF OPERATOR								<u> </u>		
R L. Ja	acobs Oil & Gas	s Company				<u> </u>	9. WELL N			
	<b>7</b> .7.1		٠.		04-04	,	R. L. Jacobs #43-1			
2467 Cor 4. LOCATION OF WELL (R	mmerce Blvd.,	Grand Junct	cion,	Colorado	81501	5.	10. FIELD AND POOL, OR WILDCAT			
At surface Locate	ed North 1937 f	eet from th	ne Sou	ate requirements. Lth Bound	arv lir	ne.	Wildo		·	
	376 feet from t						11. SEC., T. AND SU	RVEY OR	R BLK. AREA	
At proposed prod. zon	e T. 9S., R. 1		J		•	Lan.	Sec. 1	ĒΤ9S.	R17E SLB&	
14. DISTANCE IN MILES			m oppromi		4			•		
_			T OFFICE	•	٢				SH 13. STATE	
20 MILES 1	SE of Myton, Ut	an	1 16 NO	OH ACRES Y	T T + C T	16 vo	Uinta		Utah	
LOCATION TO NEAREST PROPERTY OR LEASE I	ę ·	16. NO. OF ACRES IN LEASE		LEASE		OF ACRES ASS HIS WELL				
(Also to nearest drig	g. unit line, if any)	600'	l	440		•.	* 4.	40		
18. DISTANCE FROM PROP TO NEAREST WELL, D	RILLING, COMPLETED,	_		Į.		20. ROTARY OR CABLE TOOLS				
OR APPLIED FOR, ON TH		½ mile   6500'			KOT	Rotary				
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)	F020	- d				17:		WORK WILL START	
00		5020 grour	<u> </u>	•			/ 061	ober.	1, 1982	
23.	:	PROPOSED CASI	NG AND	CEMENTING	PROGRAI	VÍ.	•	: -		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING D	EPTH		QUANTI	TY OF CEM	1ENT	
1211	8 5/8"	J-55, 24#	new / 300'			Circ.	to suri	ace		
7 7/8"	5111		5# n∕ew	6500			to suri			
							11.			
	·	Į.	ı						•	
					11	リルロ	PIEI	7777	25	
					li	YIL	<b>1050</b>	V		
		•			·	مست		- 6	51111	
				•	U	IJ,			עעי	
						Į.	WG 13	1982	<del>(2009)</del>	
		•								
	APPROV	ED BY TH	E et	ATE		:r	IVISION	0E		
	OFIIT	AH DIVISI	しとこと	7					•	
	Oii A	MA AND		<b>/</b> F		UIL,	GAS & I	NININ	G	
		AR AND A	MININ	KJ .	1		* *			

IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

reventer program, if any.		
signed & Sander La Baron	Geologist	DATE August 10, 1982
(This space for Federal or State office use)		A Land Control of the
PERMIT NO.	APPROVAL DATE	
APPROVED BY	TITLE	DATE





SCALE: 1" . 1000"

## JACOBS-NGC #43-1

Located North 1937 feet from the South boundary and West 876 feet from the East boundary of Section 1, T95, R17E, SLB&M.

RP 150' N = 5018.4

Elev. 5020

RP 150' S = 5022.4

Uintah County, Utah

RP 100' E = 5019.0 RP 50' W = 5019.9



### SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARES
FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR
UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE
AND CORRECT TO THE SEST OF MY KNOWLEDGE AND BELIEF





### **UDELL S. WILLIAMS**

751 Rood Avenue GRAND JUNCTION, COLORADO 81501

PROPOSED LOCATION

JACOBS-NGC #43-1 NE1SE1 SECTION 1 T9S, R17E, SLB&M

SURVEYED BY: USW DATE: 5/12/82 DRAWN BY: USW DATE: 5/13/82

FOR E.W. GUYNN

District Supervisor

DISTRICT OIL & GAS SUPERVISOR

JUL 19 1982

JUL 2 0 1982

Date

SALTLAKE CITY. UT Apriled States Department of the Interior Minerals Management Service 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104-3884

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION	
Operator P.L. Jacobs Did and San	
Operator f.i. Garaba Did and Lan.  Project Type Oil Well	
Project Location 1937 FSL 876 FEL Section 1, T.95., R Well No. 43-1 Lease No. U-16538	171
Well No. 43-1 Lease No. U-16538	
Date Project Submitted	
FIELD INSPECTION Date July 12, 1782	
Field Inspection Participants Greg Darlington - MMS, Vernal  Gary Slagel - BLM, Nerral  Euriset - Jacobs Ciland Gas	
Cary Slagel - BLM, Nerral	
En West - Jacobs Oil and Gas	
	٠,
I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions	S.
July 15, 1982  Date Prepared  Environmental Scientist	
Date Prepared Environmental Scientist	
I concur	
) /	

## CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

	Feder	al/State A	rency	Local and private		Other		`	
Criteria 516 DM 2.3.A	Corre- spondence (date)	Phone check (date)	Meeting (date)	corre- spondence (date)	Previous NEPA	studies and remorts	Staff expertise	Onsite inspection (date)	Other
Public health and safety								16/82	
Unique characteristics						i i	1,2,4,6		
Environmentally controversial						-	1, 2, 4, 6		
Uncertain and unknown risks							1, =, 4, 6		
Establishes precedents							1, 2, 4, 6		
Cumulatively significant							1, 2,4,6		
National Register historic places				·			1,6		
Endangered/ threatened species						·	1,6		
. Violate Federal, State, local, tribal low							1,2,4,6		

# CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

- Surface Management Agency Input 1.
- Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division) 2.
- Lease Stipulations/Terms 3.
- Application Permit to Drill 4.
- Operator Correspondence 5.
- Field Observation 6.
- Private Rehabilitation Agreement 7.
- Onsite Requirements Other than the Items 1. 7. 2.



## United States Department of the Interior

T & R U-801

BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

June 14, 1982



Ed Guynn, District Engineer Mineral Management Services 2000 Adminstration Building 1745 West 1700 South Salt Lake City, UT 84104

Re: Joint Onsite Inspection

Jacobs Oil & Gas

T9S, R17E, Sec. 1: NGC #43-1 T9S, R18E, Sec. 6: NGC #12-6

Dear Mr. Guynn:

On July 12, 1982, a joint onsite inspection was made of the above referenced well site locations and proposed access roads by people representing Jacobs Oil & Gas, USGS, and the BLM. We feel that the surface use and operating plans are adequate with the following stipulations:

- 1. Construction and maintenance of roads, rehabilitation of disturbed areas and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the booklet, "Surface Operating Standards for Oil and Gas Exploration and Development".
- 2. The maximum width of access roads will be 30 feet total disturbed area. Turnouts will not be required and traveling off the right-of-way will not be allowed.
- 3. Topsoil will be stockpiled as addressed in the applicants 13 point plan. Our office recommends the top 6-10 inches of topsoil material be stockpiled.
- 4. The BLM will be notified at least 24 hours prior to any construction.
- 5. The BLM will be notified at least 24 hours prior to any rehabilitation.
- 6. A burn pit will not be constructed. There will be no burying of garbage or trash at the location. No trash will be thrown in the reserve pit. All trash must be contained and hauled to the nearest sanitary landfill.

- 7. All permanent (onsite for six (6) months duration or longer) structures constructed or installed, including the pumpjack, shall be painted a flat, non-reflective, earth tone color to match Tnemec 23-08351 Mesa Brown Enduratione or an approved equal. All facilities shall be painted within 6 months of when the production facilities are put in place. Facilities that are required to comply with O.S.H.A. (Occupational Safety and Health Act) standards are excluded.
- 8. Reserve pits will be fenced with a wire mesh fence topped with at least one strand of barded wire.
- 9. At NGC #43-1, the topsoil will be stockpiled at the north and south ends of the location.
- 10. At NGC #43-1, the pit will be lined.
- 11. At NGC #12-6, the entire location will be moved 150 feet south.

An archaeological clearance has been conducted by Archaeological-Environmental Research Corporation of the proposed drill sites and access roads. No cultural materials were located on the surface of the surveyed areas.

The proposed activities do not jeopardize listed, threatened, or endangered flora/fauna and their habitats.

Sincerely,

Bryon K. Tolman Acting Area Manager

Diamond Mountain Besource Area

inn K. Colman

cc: MMS, Vernal

### \*\* FILE NOTATIONS \*\*

DATE:	8-25-	22			
OPERATOR	R: <u>PL</u>	TACOME	OIL & GAS		
WELL NO:		AL TACORS			
Location	n: Sec	SE, / T 9	75 R/7	E County:	Untel
File Pre	epared: [	7	Entere	d on N.I.D:	W
Card Ind	dexed: [ [			tion Sheet: [	
		API Numb	per 43-	047-3125	<u> </u>
CHECKED	BY:				
Pet	troleum Eng	ineer:	*		<del></del>
Dir	rector:				
Adm	ninistrativ	e Aide: <u> </u>	it Well	- Eighi	Mile Flat
APPROVAL	LETTER:		<del> </del>		
Воп	d Required	: Lect	Swa	vey Plat Requi	red:
Ord	ler No		0.K	. Rule C-3 $\angle$	7
Rul	le C-3(c),	Topographic Exc within a 660' r	eption - comp adius of prop	oany owns or coosed site	ontrols acreage
Lea	se Designa	tion [Feat	Ploa	tted on Map/v	
	•	Approval	Letter Writz	ten /	
Hot	: Line [			·	

August 25, 1982

R. L. Jacobs Oil & Gas Company 2467 Commerce Blvd. Grand Junction, Colorado 81501

> RE: Well No. R. L. facobs #43-1 NESE Sec. 1, T. 9 S, R. 17 E Uintah County, Utah

### Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Engineer

CLEON B. FEIGHT - Director

Office: 533-5771

OR Office: 533-5771

Home: 571-6068

Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31259.

Sincerely,

Norman C. Stout

Administrative Assistant

NCS/as

cc: Minerals Management Service

Enclosure



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 10, 1983

R. L. Jacobs Oil & Gas Company 2467 Commerce Blvd. Grand Junction, Colorado 81501



DIVISION OF THE GAS & MINING

Re: Well No. R. L. Jacobs # 43-1 Sec. 1, T. 9S, R. 17E. Uintah County, Utah

> Well No. Jacobs NGC # 32-5 Sec. 5, T. 9S, R. 18E. Uintah County, Utah

Well No. Jacobs State # 2-12 Sec. 2, T. 21S, R. 23E. Grand County, Utah

### Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

tention to the above will be greatly appreciated.

CARI

WE DO NOT PLAN ON DRILLING,
THESE WELLS IN THE NEAR

FUTURE.

LEN COllins


Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Well Records Specialist

CF/cf



August 10, 1983

DIVISION OF GAS & MINIMO

R. L. Jacobs Cil and Gas 2467 Commerce Blvd. Grand Junction, CO 51501

> Re: Rescind Application for Permit to Brill Well No. 43-1 Section 1-T95-R17E Wintsh County, Utah Lease No. U-16538

### Sentlemen:

The Application for Persit to Drill the referenced well was approved on June 28, 1982. Since that date no known activity has transpired at the approved location. Under current District policy, applications for permit to drill are effective for a period of one year. In view of the foregoing this office is rescinding the approval of the referenced application without prejudice. If you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must then be submitted to this office. Your cooperation in this matter is appreciated.

Please send requested information to Chief, Branch of Pluid Sinerals, Bureau of Land Hanagement, 1745 W. 1700 S., 2000 Administration Bldg., Salt Lake City, UT 34104.

Sincerely,

E. W. Guynn Chief, Eranch of Fluid Minerals

bcc; BLM-Vernal
State O&G
State BLM
Well File
APD Control
DSD/MR Reading
922:DHorsley:rs:8/10/83:4590